

I claim:

1. A dispenser comprising:
a first dispenser, wherein the first dispenser
5 comprises:
a first tray having an arcuate section for receiving a
roll of sheet material;
a first cutting surface fixedly attached to a front edge
of the first tray;
10 a first counterweighted cover, having a front edge and a
back edge, with an offset pivot point above the
principal rotational axis of the first tray; the
counterweight integral to the back edge of the
counterweighted first cover; and
15 a first blade guard fixedly attached to the first cover
on a side opposite the first counterweight.
2. The dispensing system of claim 1 wherein the
counterweighted first cover further comprises a first
20 restraining strip along the front edge.
3. The dispensing system of claim 2 wherein the first
restraining strip is a rubber strip.
- 25 4. The dispensing system of claim 1 wherein the first
tray further comprises apertures for digitally
contacting received sheet material.
5. The dispensing system of claim 1 further comprising:
30 a second dispenser wherein the second dispenser
comprises:

- a second tray having an arcuate section for receiving a roll of sheet material;
- a second cutting surface fixedly attached to a front edge of the second tray;
- 5 a second counterweighted cover, having a front edge and a back edge, with an offset pivot point above the principal rotational axis of the second tray; the second counterweight integral to the back edge of the second counterweighted cover; and
- 10 a second blade guard fixedly attached to the second cover on a side opposite the second counterweight.
6. The dispensing system of claim 5 wherein the second tray further comprises apertures for digitally
- 15 contacting received sheet material.
7. The dispensing system of claim 5 wherein the second counterweighted cover further comprises a second restraining strip along the front edge.
- 20
8. The dispensing system of claim 7 wherein the second restraining strip is a rubber strip.
9. The dispensing system of claim 5 further comprising:
- 25 a third dispenser comprised of:
a dowel support; and
a dowel;
whereby a roll of sheet material is mountable.
- 30 10. The dispensing system of claim 5 wherein the first dispenser and the second dispenser are mounted in a plane having a substantially vertical orientation.

11. A dispenser comprising:

a first dispenser, wherein the first dispenser comprises:

- 5 a first tray having an arcuate section for receiving a roll of sheet material;
a first cover, having a front edge and a back edge, with an offset pivot point above the principal rotational axis of the first tray wherein a first cutting surface
10 is fixedly attached to the front edge and the first cover is operably mounted within a first stationary cover.

12. The dispensing system of claim 11 wherein the first
15 cover further comprises a first tab extension and the first stationary cover further comprises a slot for receiving the first tab extension, and wherein a rotation of the first cover is limited by the first tray.

- 20 13. The dispensing system of claim 11 wherein the first tray further comprises apertures for digitally contacting received sheet material.

- 25 14. The dispensing system of claim 11 further comprising:

a second dispenser wherein the second dispenser comprises:

- a second tray having an arcuate section for receiving a
30 roll of sheet material;
a second cover, having a front edge and a back edge, with an offset pivot point above the principal

rotational axis of the second tray wherein a second cutting surface is fixedly attached to the front edge and the first cover is operably mounted within a first stationary cover.

5

15. The dispensing system of claim 11 wherein the first tray further comprises apertures for digitally contacting received sheet material.

10 16. The dispensing system of claim 11 wherein the first cover further comprises a first tab extension, the second cover further comprises a second tab extension, the first stationary cover further comprises a slot for receiving the first tab extension, and the second
15 stationary cover further comprises a slot for receiving the second tab extension, wherein a rotation of the first cover is limited by the first tray and a rotation of the second cover is limited by the second tray.

20

16. The dispensing system of claim 14 wherein the first dispenser and the second dispenser are mounted in a plane having a substantially horizontal orientation.